


PUBLIC NOTICE

The Lafayette County Commission will be accepting sealed bids for a 66,000 lb. GVWR Dump Truck. Anyone interested in bidding should contact the Lafayette County Clerk of Court's Office in Mayo, Florida for bid specifications. The Clerk's Office is located at 120 West Main Street, P.O. Box 88, Mayo, Florida, or you may also contact the Clerk's Office by phone at (386) 294-1600 to have the bid specifications sent to you by email. The bids are due by **Friday, June 22, 2018 at 12:00 p.m.** The bids will be opened at a regular scheduled Board Meeting on Monday, June 25, 2018 at 5:30 p.m.

The Lafayette County Board of Commissioners reserve the right to accept and/or reject any and all bids, with or without cause, to waive technicalities or to accept the bid which, in its judgment, best serves the interest of Lafayette County. Persons are advised that, if they decide to appeal any decision made concerning the award of this bid, they will need to ensure that a verbatim record of the proceedings is made, which record includes the testimony and evidence upon which the appeal is to be made. Bid results other than the apparent low bidder will not be provided in response to telephone inquiries. Bidders desiring a copy of the bid abstract should include such request with a self addressed stamped envelope in their bid.

By Order Of:



Earnest L. Jones, Chairman
Lafayette County Commission

MAYO FREE PRESS

Please Run 6/7/18 and 6/14/18.

Lafayette County Public Works

66,000 lbs. GVWR Dump truck Specifications

These are Minimum Specifications to be met, but may be exceeded.

1. Engine
 - a. 425HP 6 cylinder diesel engine, manufacturer's 11 L minimum
2. Transmission
 - a. The following or approved equivalents are acceptable:
 - b. Allison 4500DS Auto Transmission to include synthetic oil, TES 295 or equivalent
3. Engine Equipment
 - a. Alternator – 12 volt 100A
 - b. Premium engine hoses
 - c. injection pump – electronic engine control
 - d. Radiator – Aluminum core
 - e. Air restriction monitor – intake mounted
4. Cab
 - a. Cab – welded steel galvanized or aluminum shell with rust preventative coating.
 - b. Floor covering – Black rubber mats.
 - c. Seating – driver air suspension mid back, passenger fixed back.
 - d. Steering wheel – 18" two spoke
 - e. Standard air conditioning and heating
 - f. AM/FM radio
5. Frame
 - a. Frame – steel construction matched to GVW and mounted body of truck.
 - b. Front bumper – painted steel
 - c. Fuel Tank - 100 gallon, minimum
 - d. Air dryer – Bendix AD9 heated, or approved equivalent.
6. Safety
 - a. Horn – single air trumpet.
 - b. Mirrors – West Coast to include 7.5" convex mounted to lower mirror bracket or equivalent.
 - c. Brakes – "S" cam type 16.5" x 5" Q+ front and 16.5" x 7" Q + rear with anti-lock without automatic traction control, or approved equivalent.
 - d. Slack adjusters – Haldex automatic front and rear.
 - e. Daytime running lights.
 - f. Backup alarm.
7. Front Axle
 - a. Front axle – 20,000 lbs.
 - b. Front Wheels – steel 10 hole hub piloted.
 - c. Front tires – 425 Goodyear G296 steer or approved equivalent.
 - d. Front hubs – Ferrous, or approved equivalent.
 - e. Oil type with synthetic lube.
8. Rear Axle
 - a. Rear axle – 46,000 lbs.
 - b. Rear wheels – steel 10 hole hub piloted.

- c. Rear tires – 11R22.5 Goodyear G 149 or equivalent.
- d. Hubs – Ferrous, or approved equivalent.
- e. Power divider with warning light and buzzer (includes in cab control)

9. Lift Axle

- a. Rigid lift axle: Pusher / Tag 20,000 lbs. rating air lift
- b. Lift axle tires – 11R22.5 Goodyear G 149 or equivalent with steel wheels

10. Electrical

- a. Circuit protection – fuses except headlamp and wiper circuits which utilize breakers.
- b. Hand throttle – electronic hand throttle operated through cruise control when in PTO mode only.
- c. Engine protection – engine shut down system monitoring high water temp, low oil pressure, high exhaust temp, high transmission temp.

11. Body

- a. 18 cubic yard steel dump body with hoist.
- b. Electric tarp system.

12. Warranty

- a. 250,000 miles or 5 year warranty
- b. Warranty to cover exhaust after treatment system as well.

13. County Trade in

- a. 1996 Ford Dump truck.
- b. Louisville model
- c. Vin# 1FDZS96K0VA29759